



Performance Data Sheet

Multi-Pure Drinking Water Systems have been tested and certified under ANSI/NSF Standard No. 53 as shown below. The concentration of the indicated substances in water entering the system was reduced to a concentration less than or equal to the permissible limit for water leaving the system, as specified in ANSI/NSF 53, Health Effects.



For Model Nos. PLUSCBSC, PLUSCBSB, MP750SB, MP1200EL, MP750SC, CBVOC5B, CBVOC5C

Substance	Percent Reduction**	Influent Challenge Concentration	Maximum Permissible Product Water Concentration
Alachlor*	>98%	0.05	0.001
Asbestos	>99.9%	10 ⁷ to 10 ⁸ fibers/L; fibers greater than 10 micrometers in length	99%*
Atrazine*	>97%	0.1	0.003
Benzene*	>99%	0.081	0.001
Bromodichloromethane (TTHM)*	>99.8%	0.3	0.015
Bromoform (see TTHM)*	>99.8%	0.3	0.015
Carbofuran (Furadan)*	>99%	0.19	0.001
Carbon Tetrachloride*	98%	0.078	0.0018
Chlordane	>99.5%	0.04 +/- 10%	0.002
Chlorobenzene (Monochlorobenzene)*	>99%	0.077	0.001
Chloropicrin*	99%	0.015	0.0002
Chloroform (TTHM)* (surrogate chemical)	>99.8%	0.3	0.015
Cryptosporidium (Cyst)	>99.95%	min. 50,000/ml	99.95%
Cyst (Giardia, Cryptosporidium, Entamoeba, Toxoplasma)	>99.95%	min. 50,000/ml	99.95%
2,4-D*	98%	0.11	0.00017
DCP (Dibromochloropropane)*	>99%	0.052	0.00002
1,2-DCA (see 1,2-Dichloroethane)*	95%	0.088	0.0048
1,1-DCE (see 1,1-Dichloroethylene)*	>99%	0.083	0.001
Dibromochloromethane (TTHM, Chlorodibromomethane)*	>99.8%	0.3	0.015
Dibromochloropropane (DBCP)*	>99%	0.052	0.00002
o-Dichlorobenzene (1,2-Dichlorobenzene)*	>99%	0.08	0.001
p-Dichlorobenzene (para-Dichlorobenzene)*	>98%	0.04	0.001
1,2-Dichloroethane (1,2-DCA)*	95%	0.088	0.0048
1,1-Dichloroethylene (1,1-DCE)*	>99%	0.083	0.001
cis-1,2-Dichloroethylene*	>99%	0.17	0.0005
trans-1,2-Dichloroethylene*	>99%	0.086	0.001
1,2-Dichloropropane (Propylene Dichloride)*	>99%	0.08	0.001
cis-1,3-Dichloropropylene*	>99%	0.079	0.001
Dinoseb*	99%	0.17	0.0002
EDB (Ethylene Dibromide)*	>99%	0.044	0.00002
Endrin*	99%	0.053	0.00059
Entamoeba (Cyst)	>99.95%	min. 50,000/ml	99.95%
Ethylbenzene*	>99%	0.088	0.001
Ethylene Dibromide (EDB)*	>99%	0.044	0.00002

**Percent reduction reflects actual performance of Multi-Pure product as specifically tested (at 200% of capacity). Percent reduction shown for VOCs* reflects the allowable claims for Volatile Organic Chemicals/Compounds as per Tables. Chloroform was used as a surrogate for VOC reduction claims: the Multi-Pure Systems' actual reduction rate of Chloroform was >99.8% as tested (at 200% of capacity).

Substance	Percent Reduction**	Influent Challenge Concentration	Maximum Permissible Product Water Concentration
Furadan (Carbofuran)*	>99%	0.19	0.001
Giardia Lambliia (Cyst; Protozoan)	>99.95%	min. 50,000/ml	99.95%
Haloacetonitriles (HAN):*			
Bromochloroacetonitrile	98%	0.022	0.0005
Dibromoacetonitrile	98%	0.024	0.0006
Dichloroacetonitrile	98%	0.0096	0.0002
Trichloroacetonitrile	98%	0.015	0.0003
Haloketones (HK):*			
1,1-Dichloro-2-Propanone	99%	0.0072	0.0001
1,1,1-Trichloro-2-Propanone	96%	0.0082	0.0003
Heptachlor*	>99%	0.08	0.0004
Heptachlor Epoxide*	98%	0.0107	0.0002
Hexachlorobutadiene (Perchlorobutadiene)*	>98%	0.044	0.001
Hexachlorocyclopentadiene*	>99%	0.06	0.000002
Lead (pH 6.5)	>99.3%	0.15+/-10%	0.01
Lead (pH 8.5)	>99.3%	0.15+/-10%	0.01
Lindane*	>99%	0.055	0.00001
Mercury (pH 6.5)	>99.9%	0.006+/-10%	0.002
Mercury (pH 8.5)	>99.9%	0.006+/-10%	0.002
Methoxychlor*	>99%	0.05	0.0001
Methylbenzene (Toluene)*	>99%	0.078	0.001
Monochlorobenzene (Chorobenzene)*	>99%	0.077	0.001
Methyl-Tert-Butyl Ether (MTBE)	>96.6%	0.15+/-10%	0.005
Polychlorinated Biphenyls (PCBs)	>99.99%	0.01+/-10%	0.0005
PCE (Tetrachloroethylene)*	>99%	0.018	0.001
Pentachlorophenol*	>99%	0.096	0.001
Perchlorobutadiene (Hexachlorobutadiene)*	>98%	0.044	0.001
Propylene Dichloride (1,2-Dichloropropane)*	>99%	0.08	0.001
Simazine*	>97%	0.12	0.004
Silvex (2,4,5-TP)*	99%	0.27	0.0016
Styrene (Vinylbenzene)*	>99%	0.15	0.0005
1,1,1-TCA (1,1,1-Trichloroethane)*	95%	0.084	0.0046
TCE (see Trichloroethylene)*	>99%	0.18	0.001
1,1,2,2-Tetrachloroethane*	>99%	0.081	0.001
Tetrachloroethylene (PCE)*	>99%	0.081	0.001
Toluene (Methylbenzene)*	>99%	0.078	0.001
Toxaphene	>92.9%	0.15+/-10%	0.003
Toxoplasma (Cyst)	>99.95%	min 50,000/ml	99.95%
2,4,5-TP (Silvex)*	99%	0.27	0.0016
Tribromoacetic Acid*	>98%	0.042	0.001
1,2,4-Trichlorobenzene (Unsym-Trichlorobenzene)*	>99%	0.160	0.0005
1,1,1-Trichloroethane*	95%	0.084	0.0046
1,1,2-Trichloroethane*	>99%	0.15	0.0005
Trichloroethylene (TCE)*	>99%	0.18	0.001
Trihalomethanes (TTHM): Chloroform; Bromoform; Bromodichloromethane; Chlorodibromomethane	>99.8%	0.3	0.015
Turbidity	>99%	11 NTU	.05NTU
Unsym-Trichlorobenzene (1,2,4-Trichlorobenzene)*	>99%	0.16	0.0005
Vinylbenzene (Styrene)*	>99%	0.15	0.0005
Xylenes (Total)*	>99%	0.070	0.001

The systems have been tested according to ANSI/NSF Standard No. 42 for the reduction of the following substances. The concentration of the indicated substances in water entering the system was reduced to a concentration less than or equal to the permissible limit for water leaving the system.

AESTHETIC EFFECTS

Substance	Percent Reduction**	Influent Challenge Concentration	Maximum Permissible Product Water Concentration
Chloramine (as Monochloramine) as Aesthetic Effect	>97%	3.0 mg/L +/-10%	0.001
Chlorine	99%	2.0 mg/L +/-10%	>or = 75%
Particulate, Class 1 Particles 0.5 to <1 um	Class 1->99%	At least 10,000 particles/ml	>or = 85%

Note: This addresses the U.S. Environmental Protection Agency (EPA) Primary and Secondary Drinking Water Regulations in effect at its time of publication, they relate to Multi-Pure's performance in conformance to the industry performance criteria. These regulations are continually being updated at the Federal level. Accordingly, this list of MCLs will be reviewed and amended when appropriate. Please see sales brochure for list of product certifications.

FOOTNOTES:

- Multi-Pure Drinking Water Systems have been certified, as indicated, by Underwriters Laboratories Inc. (UL®) for compliance to ANSI/NSF Standard Nos. 42 & 53.
- The Multi-Pure Drinking Water Systems have been certified by the State of California Department of Health Services for the reduction of specific contaminants listed herein.
- Chloroform was used as a surrogate for claims of reduction of VOCs. Multi-Pure Systems tested at >99.8% actual reduction of Chloroform. Percent reduction shown herein reflects the allowable claims for VOCs as per tables in the Standard.
- Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system. Systems certified for cyst reduction may be used on disinfected water that may contain filterable cysts.
- Filter life will vary in proportion to the amount of water used and the level of impurities in the water being processed. For optimum performance, it is essential that the filter be replaced on a regularly scheduled basis as follows: (a) annually; (b) when the unit's rated capacity has been reached; (c) the flow rate diminishes; (d) the filter becomes saturated with bad tastes and odors.
- Model No. MP1200EL includes a capacity monitor that automatically flashes a yellow light when it is time to replace your filter.
- Multi-Pure Drinking Water System Housings are warranted for a period of 25 years; all exterior hoses and attachments to the System are warranted for one year. Please see the Owner's Manual for complete product guarantee and warranty information.
- Please see the Owner's Manual for installation instructions and operating procedures.
- In compliance with New York law, it is recommended that before purchasing a water treatment system, NY residents have their water supply tested to determine their actual water treatment needs. Please compare the capabilities of the Multi-Pure unit with your actual water treatment needs.
- Check for compliance with state and local laws and regulations.
- While testing was performed under standard laboratory conditions, actual performance may vary.
- The list of substances which the treatment device reduces does not necessarily mean that these substances are present in your tap water.



MP400PC



MP750SB or MP1200EL



MP750SSCT



MP750SC

Operational Specifications	MP750xx	MP1200EL	MP400PC
Approximate Service Capacity (6)	750 Gallons	1200 Gallons	400 Gallons
Replacement Filter Type Model No./ Approx. cost	CB6/\$56	CB6/\$56	CB5/\$45
Approximate flow rate @ 60psi	.75 gpm	.75 gpm	.75 gpm
Maximum Water Pressure	125 psi/8.8 kg/cm ²	125 psi/8.8 kg/cm ²	125 psi/8.8 kg/cm ²
Minimum Water Pressure	30 psi/2.1 kg/cm ²	30 psi/2.1 kg/cm ²	30 psi/2.1 kg/cm ²
Maximum Operating Temperature	100°F/38°C for cold water use only	100°F/38°C for cold water use only	100°F/38°C for cold water use only

State of California, Department of Health Services

Certification/Registration

Water Treatment Device Certificate Number 97-1293 Date Issued: June 23, 2002																																																																						
Trademark/Model Designation Multi-Pure MP400PC	Replacement Element(s) CB5																																																																					
Manufacturer: Multi-Pure Corporation																																																																						
The water treatment device(s) listed on this certificate have met the testing requirements pursuant to Section 116830 of the Health and Safety Code for the following health related contaminants:																																																																						
Microbiological Contaminants and Turbidity Cysts (protozoan) Turbidity	Inorganic/Radiological Contaminants Asbestos Lead Mercury																																																																					
Organic Contaminants																																																																						
<table border="0"> <tr> <td>Chlordane</td> <td>Endrin</td> <td>Simazine</td> </tr> <tr> <td>PCBs</td> <td>Ethylbenzene</td> <td>Styrene</td> </tr> <tr> <td>Toxaphene</td> <td>EDB</td> <td>1,1,2,2-Tetrachloroethane</td> </tr> <tr> <td>MTBE</td> <td>Halooacetanitriles (HAN)</td> <td>Tetrachloroethylene</td> </tr> <tr> <td>VOCs:</td> <td>Bromochloroacetanitrile</td> <td>Toluene</td> </tr> <tr> <td>Alachlor</td> <td>Dibromooacetanitrile</td> <td>2,4,5-TP (Silvex)</td> </tr> <tr> <td>Atrazine</td> <td>Dichloroacetanitrile</td> <td>Tribromoacetic Acid</td> </tr> <tr> <td>Benzene</td> <td>Trichloroacetanitrile</td> <td>1,2,4-Trichlorobenzene</td> </tr> <tr> <td>Carbofuran</td> <td>Haloketones (HK)</td> <td>1,1,1-Trichloroethane</td> </tr> <tr> <td>Carbon Tetrachloride</td> <td>1,1-Dichloro-2-Propanone</td> <td>1,1,2-Trichloroethane</td> </tr> <tr> <td>Chlorobenzene</td> <td>1,1,1-Trichloro-2-Propanone</td> <td>Trichloroethylene</td> </tr> <tr> <td>Chloropicrin</td> <td>Heptachlor</td> <td>Trichloroethanes (THMs)</td> </tr> <tr> <td>Chlorobenzene</td> <td>Heptachlor Epoxide</td> <td>Bromodichloromethane</td> </tr> <tr> <td>2,4-D</td> <td>Hexachlorobutadiene</td> <td>Bromoform</td> </tr> <tr> <td>o-Dichlorobenzene</td> <td>Hexachlorocyclopentadiene</td> <td>Chloroform</td> </tr> <tr> <td>p-Dichlorobenzene</td> <td>Lindane</td> <td>Chlorodibromomethane</td> </tr> <tr> <td>1,2-Dichloroethane</td> <td>Methoxychlor</td> <td>m-Xylene</td> </tr> <tr> <td>1,1-Dichloroethylene</td> <td>Pentachlorophenol</td> <td>p-Xylene</td> </tr> <tr> <td>cis-1,2-Dichloroethylene</td> <td></td> <td></td> </tr> <tr> <td>trans-1,2-Dichloroethylene</td> <td></td> <td></td> </tr> <tr> <td>1,2-Dichloropropane</td> <td></td> <td></td> </tr> <tr> <td>cis-1,3-Dichloropropylene</td> <td></td> <td></td> </tr> <tr> <td>Dinoseb</td> <td></td> <td></td> </tr> </table>		Chlordane	Endrin	Simazine	PCBs	Ethylbenzene	Styrene	Toxaphene	EDB	1,1,2,2-Tetrachloroethane	MTBE	Halooacetanitriles (HAN)	Tetrachloroethylene	VOCs:	Bromochloroacetanitrile	Toluene	Alachlor	Dibromooacetanitrile	2,4,5-TP (Silvex)	Atrazine	Dichloroacetanitrile	Tribromoacetic Acid	Benzene	Trichloroacetanitrile	1,2,4-Trichlorobenzene	Carbofuran	Haloketones (HK)	1,1,1-Trichloroethane	Carbon Tetrachloride	1,1-Dichloro-2-Propanone	1,1,2-Trichloroethane	Chlorobenzene	1,1,1-Trichloro-2-Propanone	Trichloroethylene	Chloropicrin	Heptachlor	Trichloroethanes (THMs)	Chlorobenzene	Heptachlor Epoxide	Bromodichloromethane	2,4-D	Hexachlorobutadiene	Bromoform	o-Dichlorobenzene	Hexachlorocyclopentadiene	Chloroform	p-Dichlorobenzene	Lindane	Chlorodibromomethane	1,2-Dichloroethane	Methoxychlor	m-Xylene	1,1-Dichloroethylene	Pentachlorophenol	p-Xylene	cis-1,2-Dichloroethylene			trans-1,2-Dichloroethylene			1,2-Dichloropropane			cis-1,3-Dichloropropylene			Dinoseb		
Chlordane	Endrin	Simazine																																																																				
PCBs	Ethylbenzene	Styrene																																																																				
Toxaphene	EDB	1,1,2,2-Tetrachloroethane																																																																				
MTBE	Halooacetanitriles (HAN)	Tetrachloroethylene																																																																				
VOCs:	Bromochloroacetanitrile	Toluene																																																																				
Alachlor	Dibromooacetanitrile	2,4,5-TP (Silvex)																																																																				
Atrazine	Dichloroacetanitrile	Tribromoacetic Acid																																																																				
Benzene	Trichloroacetanitrile	1,2,4-Trichlorobenzene																																																																				
Carbofuran	Haloketones (HK)	1,1,1-Trichloroethane																																																																				
Carbon Tetrachloride	1,1-Dichloro-2-Propanone	1,1,2-Trichloroethane																																																																				
Chlorobenzene	1,1,1-Trichloro-2-Propanone	Trichloroethylene																																																																				
Chloropicrin	Heptachlor	Trichloroethanes (THMs)																																																																				
Chlorobenzene	Heptachlor Epoxide	Bromodichloromethane																																																																				
2,4-D	Hexachlorobutadiene	Bromoform																																																																				
o-Dichlorobenzene	Hexachlorocyclopentadiene	Chloroform																																																																				
p-Dichlorobenzene	Lindane	Chlorodibromomethane																																																																				
1,2-Dichloroethane	Methoxychlor	m-Xylene																																																																				
1,1-Dichloroethylene	Pentachlorophenol	p-Xylene																																																																				
cis-1,2-Dichloroethylene																																																																						
trans-1,2-Dichloroethylene																																																																						
1,2-Dichloropropane																																																																						
cis-1,3-Dichloropropylene																																																																						
Dinoseb																																																																						
Rated Service Capacity: 400 gallons	Rated Service Flow: 0.75 gpm																																																																					
Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems claiming cyst reduction may be used on water containing cysts.																																																																						

Water Treatment Device Certificate Number 97-1294 Date Issued: June 23, 2002																																																																									
Trademark/Model Designation MP750SB MP750SC MP750SSCT MP750SI	Replacement Element(s) CB6 CB6 CB6 CB6																																																																								
Manufacturer: Multi-Pure Corporation																																																																									
The water treatment device(s) listed on this certificate have met the testing requirements pursuant to Section 116830 of the Health and Safety Code for the following health related contaminants:																																																																									
Microbiological Contaminants and Turbidity Cysts (protozoan) Turbidity	Inorganic/Radiological Contaminants Asbestos Lead Mercury																																																																								
Organic Contaminants																																																																									
<table border="0"> <tr> <td>Chlordane</td> <td>Endrin</td> <td>Simazine</td> </tr> <tr> <td>PCBs</td> <td>Ethylbenzene</td> <td>Styrene</td> </tr> <tr> <td>Toxaphene</td> <td>EDB</td> <td>1,1,2,2-Tetrachloroethane</td> </tr> <tr> <td>MTBE</td> <td>Halooacetanitriles (HAN)</td> <td>Tetrachloroethylene</td> </tr> <tr> <td>VOCs:</td> <td>Bromochloroacetanitrile</td> <td>Toluene</td> </tr> <tr> <td>Alachlor</td> <td>Dibromooacetanitrile</td> <td>2,4,5-TP (Silvex)</td> </tr> <tr> <td>Atrazine</td> <td>Dichloroacetanitrile</td> <td>Tribromoacetic Acid</td> </tr> <tr> <td>Benzene</td> <td>Trichloroacetanitrile</td> <td>1,2,4-Trichlorobenzene</td> </tr> <tr> <td>Carbofuran</td> <td>Haloketones (HK)</td> <td>1,1,1-Trichloroethane</td> </tr> <tr> <td>Carbon Tetrachloride</td> <td>1,1-Dichloro-2-Propanone</td> <td>1,1,2-Trichloroethane</td> </tr> <tr> <td>Chlorobenzene</td> <td>1,1,1-Trichloro-2-Propanone</td> <td>Trichloroethylene</td> </tr> <tr> <td>Chloropicrin</td> <td>Heptachlor</td> <td>Trichloroethanes (THMs)</td> </tr> <tr> <td>Chlorobenzene</td> <td>Heptachlor Epoxide</td> <td>Bromodichloromethane</td> </tr> <tr> <td>2,4-D</td> <td>Hexachlorobutadiene</td> <td>Bromoform</td> </tr> <tr> <td>DBCP</td> <td>Hexachlorocyclopentadiene</td> <td>Chloroform</td> </tr> <tr> <td>o-Dichlorobenzene</td> <td>Lindane</td> <td>Chlorodibromomethane</td> </tr> <tr> <td>p-Dichlorobenzene</td> <td>Methoxychlor</td> <td>m-Xylene</td> </tr> <tr> <td>1,2-Dichloroethane</td> <td>Pentachlorophenol</td> <td>p-Xylene</td> </tr> <tr> <td>1,1-Dichloroethylene</td> <td></td> <td></td> </tr> <tr> <td>cis-1,2-Dichloroethylene</td> <td></td> <td></td> </tr> <tr> <td>trans-1,2-Dichloroethylene</td> <td></td> <td></td> </tr> <tr> <td>1,2-Dichloropropane</td> <td></td> <td></td> </tr> <tr> <td>cis-1,3-Dichloropropylene</td> <td></td> <td></td> </tr> <tr> <td>Dinoseb</td> <td></td> <td></td> </tr> </table>		Chlordane	Endrin	Simazine	PCBs	Ethylbenzene	Styrene	Toxaphene	EDB	1,1,2,2-Tetrachloroethane	MTBE	Halooacetanitriles (HAN)	Tetrachloroethylene	VOCs:	Bromochloroacetanitrile	Toluene	Alachlor	Dibromooacetanitrile	2,4,5-TP (Silvex)	Atrazine	Dichloroacetanitrile	Tribromoacetic Acid	Benzene	Trichloroacetanitrile	1,2,4-Trichlorobenzene	Carbofuran	Haloketones (HK)	1,1,1-Trichloroethane	Carbon Tetrachloride	1,1-Dichloro-2-Propanone	1,1,2-Trichloroethane	Chlorobenzene	1,1,1-Trichloro-2-Propanone	Trichloroethylene	Chloropicrin	Heptachlor	Trichloroethanes (THMs)	Chlorobenzene	Heptachlor Epoxide	Bromodichloromethane	2,4-D	Hexachlorobutadiene	Bromoform	DBCP	Hexachlorocyclopentadiene	Chloroform	o-Dichlorobenzene	Lindane	Chlorodibromomethane	p-Dichlorobenzene	Methoxychlor	m-Xylene	1,2-Dichloroethane	Pentachlorophenol	p-Xylene	1,1-Dichloroethylene			cis-1,2-Dichloroethylene			trans-1,2-Dichloroethylene			1,2-Dichloropropane			cis-1,3-Dichloropropylene			Dinoseb		
Chlordane	Endrin	Simazine																																																																							
PCBs	Ethylbenzene	Styrene																																																																							
Toxaphene	EDB	1,1,2,2-Tetrachloroethane																																																																							
MTBE	Halooacetanitriles (HAN)	Tetrachloroethylene																																																																							
VOCs:	Bromochloroacetanitrile	Toluene																																																																							
Alachlor	Dibromooacetanitrile	2,4,5-TP (Silvex)																																																																							
Atrazine	Dichloroacetanitrile	Tribromoacetic Acid																																																																							
Benzene	Trichloroacetanitrile	1,2,4-Trichlorobenzene																																																																							
Carbofuran	Haloketones (HK)	1,1,1-Trichloroethane																																																																							
Carbon Tetrachloride	1,1-Dichloro-2-Propanone	1,1,2-Trichloroethane																																																																							
Chlorobenzene	1,1,1-Trichloro-2-Propanone	Trichloroethylene																																																																							
Chloropicrin	Heptachlor	Trichloroethanes (THMs)																																																																							
Chlorobenzene	Heptachlor Epoxide	Bromodichloromethane																																																																							
2,4-D	Hexachlorobutadiene	Bromoform																																																																							
DBCP	Hexachlorocyclopentadiene	Chloroform																																																																							
o-Dichlorobenzene	Lindane	Chlorodibromomethane																																																																							
p-Dichlorobenzene	Methoxychlor	m-Xylene																																																																							
1,2-Dichloroethane	Pentachlorophenol	p-Xylene																																																																							
1,1-Dichloroethylene																																																																									
cis-1,2-Dichloroethylene																																																																									
trans-1,2-Dichloroethylene																																																																									
1,2-Dichloropropane																																																																									
cis-1,3-Dichloropropylene																																																																									
Dinoseb																																																																									
Rated Service Capacity: 750 gallons	Rated Service Flow: 0.75 gpm																																																																								
Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems claiming cyst reduction may be used on water containing cysts.																																																																									

Water Treatment Device Certificate Number 97-1295 Date Issued: June 23, 2002																																																																									
Trademark/Model Designation Multi-Pure MP1200EL	Replacement Element(s) CB6																																																																								
Manufacturer: Multi-Pure Corporation																																																																									
The water treatment device(s) listed on this certificate have met the testing requirements pursuant to Section 116830 of the Health and Safety Code for the following health related contaminants:																																																																									
Microbiological Contaminants and Turbidity Cysts (protozoan) Turbidity	Inorganic/Radiological Contaminants Asbestos Lead Mercury																																																																								
Organic Contaminants																																																																									
<table border="0"> <tr> <td>Chlordane</td> <td>Endrin</td> <td>Simazine</td> </tr> <tr> <td>PCBs</td> <td>Ethylbenzene</td> <td>Styrene</td> </tr> <tr> <td>Toxaphene</td> <td>EDB</td> <td>1,1,2,2-Tetrachloroethane</td> </tr> <tr> <td>MTBE</td> <td>Halooacetanitriles (HAN)</td> <td>Tetrachloroethylene</td> </tr> <tr> <td>VOCs:</td> <td>Bromochloroacetanitrile</td> <td>Toluene</td> </tr> <tr> <td>Alachlor</td> <td>Dibromooacetanitrile</td> <td>2,4,5-TP (Silvex)</td> </tr> <tr> <td>Atrazine</td> <td>Dichloroacetanitrile</td> <td>Tribromoacetic Acid</td> </tr> <tr> <td>Benzene</td> <td>Trichloroacetanitrile</td> <td>1,2,4-Trichlorobenzene</td> </tr> <tr> <td>Carbofuran</td> <td>Haloketones (HK)</td> <td>1,1,1-Trichloroethane</td> </tr> <tr> <td>Carbon Tetrachloride</td> <td>1,1-Dichloro-2-Propanone</td> <td>1,1,2-Trichloroethane</td> </tr> <tr> <td>Chlorobenzene</td> <td>1,1,1-Trichloro-2-Propanone</td> <td>Trichloroethylene</td> </tr> <tr> <td>Chloropicrin</td> <td>Heptachlor</td> <td>Trichloroethanes (THMs)</td> </tr> <tr> <td>Chlorobenzene</td> <td>Heptachlor Epoxide</td> <td>Bromodichloromethane</td> </tr> <tr> <td>2,4-D</td> <td>Hexachlorobutadiene</td> <td>Bromoform</td> </tr> <tr> <td>DBCP</td> <td>Hexachlorocyclopentadiene</td> <td>Chloroform</td> </tr> <tr> <td>o-Dichlorobenzene</td> <td>Lindane</td> <td>Chlorodibromomethane</td> </tr> <tr> <td>p-Dichlorobenzene</td> <td>Methoxychlor</td> <td>m-Xylene</td> </tr> <tr> <td>1,2-Dichloroethane</td> <td>Pentachlorophenol</td> <td>p-Xylene</td> </tr> <tr> <td>1,1-Dichloroethylene</td> <td></td> <td></td> </tr> <tr> <td>cis-1,2-Dichloroethylene</td> <td></td> <td></td> </tr> <tr> <td>trans-1,2-Dichloroethylene</td> <td></td> <td></td> </tr> <tr> <td>1,2-Dichloropropane</td> <td></td> <td></td> </tr> <tr> <td>cis-1,3-Dichloropropylene</td> <td></td> <td></td> </tr> <tr> <td>Dinoseb</td> <td></td> <td></td> </tr> </table>		Chlordane	Endrin	Simazine	PCBs	Ethylbenzene	Styrene	Toxaphene	EDB	1,1,2,2-Tetrachloroethane	MTBE	Halooacetanitriles (HAN)	Tetrachloroethylene	VOCs:	Bromochloroacetanitrile	Toluene	Alachlor	Dibromooacetanitrile	2,4,5-TP (Silvex)	Atrazine	Dichloroacetanitrile	Tribromoacetic Acid	Benzene	Trichloroacetanitrile	1,2,4-Trichlorobenzene	Carbofuran	Haloketones (HK)	1,1,1-Trichloroethane	Carbon Tetrachloride	1,1-Dichloro-2-Propanone	1,1,2-Trichloroethane	Chlorobenzene	1,1,1-Trichloro-2-Propanone	Trichloroethylene	Chloropicrin	Heptachlor	Trichloroethanes (THMs)	Chlorobenzene	Heptachlor Epoxide	Bromodichloromethane	2,4-D	Hexachlorobutadiene	Bromoform	DBCP	Hexachlorocyclopentadiene	Chloroform	o-Dichlorobenzene	Lindane	Chlorodibromomethane	p-Dichlorobenzene	Methoxychlor	m-Xylene	1,2-Dichloroethane	Pentachlorophenol	p-Xylene	1,1-Dichloroethylene			cis-1,2-Dichloroethylene			trans-1,2-Dichloroethylene			1,2-Dichloropropane			cis-1,3-Dichloropropylene			Dinoseb		
Chlordane	Endrin	Simazine																																																																							
PCBs	Ethylbenzene	Styrene																																																																							
Toxaphene	EDB	1,1,2,2-Tetrachloroethane																																																																							
MTBE	Halooacetanitriles (HAN)	Tetrachloroethylene																																																																							
VOCs:	Bromochloroacetanitrile	Toluene																																																																							
Alachlor	Dibromooacetanitrile	2,4,5-TP (Silvex)																																																																							
Atrazine	Dichloroacetanitrile	Tribromoacetic Acid																																																																							
Benzene	Trichloroacetanitrile	1,2,4-Trichlorobenzene																																																																							
Carbofuran	Haloketones (HK)	1,1,1-Trichloroethane																																																																							
Carbon Tetrachloride	1,1-Dichloro-2-Propanone	1,1,2-Trichloroethane																																																																							
Chlorobenzene	1,1,1-Trichloro-2-Propanone	Trichloroethylene																																																																							
Chloropicrin	Heptachlor	Trichloroethanes (THMs)																																																																							
Chlorobenzene	Heptachlor Epoxide	Bromodichloromethane																																																																							
2,4-D	Hexachlorobutadiene	Bromoform																																																																							
DBCP	Hexachlorocyclopentadiene	Chloroform																																																																							
o-Dichlorobenzene	Lindane	Chlorodibromomethane																																																																							
p-Dichlorobenzene	Methoxychlor	m-Xylene																																																																							
1,2-Dichloroethane	Pentachlorophenol	p-Xylene																																																																							
1,1-Dichloroethylene																																																																									
cis-1,2-Dichloroethylene																																																																									
trans-1,2-Dichloroethylene																																																																									
1,2-Dichloropropane																																																																									
cis-1,3-Dichloropropylene																																																																									
Dinoseb																																																																									
Rated Service Capacity: 1200 gallons	Rated Service Flow: 0.75 gpm																																																																								
Do not use where water is microbiologically unsafe or with water of unknown quality, except that systems claiming cyst reduction may be used on water containing cysts.																																																																									



Multi-Pure Corporation
Las Vegas Technology Center
P.O. Box 34630
Las Vegas, NV 89134-4630
800-622-9206
BR170 0110
email: headquarters@multipureco.com
www.multipure.com

For further information, contact your local Distributor: